

1244196

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

November 01, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/509,496

FILING DATE: *October 08, 2003*

RELATED PCT APPLICATION NUMBER: *PCT/US04/33374*

Certified by



Jon W Dudas

Acting Under Secretary of Commerce
for Intellectual Property
and Acting Director of the U.S.
Patent and Trademark Office

BEST AVAILABLE COPY

PROVISIONAL APPLICATION COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION under 37 CFR 1.53(b)(2).

Docket #: 50500-161P		Type a plus sign (+) inside this box →	+
INVENTOR(S)/APPLICANT(S)			
NAME (First, Middle, Last)		RESIDENCE (City and either State or Country)	
Marc H. SEGAN		New York, New York	
TITLE OF THE INVENTION (280 characters max)			
Foldable Modular Light Array			
CORRESPONDENCE ADDRESS			
Edward M. Weisz, Esq. (212) 687-2770		Cohen, Pontani, Lieberman & Pavane 551 Fifth Avenue, Suite 1210 New York, New York 10176	
ENCLOSED APPLICATION PARTS (check all that apply)			
<input checked="" type="checkbox"/> Specification	Number of Pages [8]	<input type="checkbox"/> Other (specify):	
<input checked="" type="checkbox"/> Drawing(s)	Number of Sheets [9]		
METHOD OF PAYMENT (check one)			
<input checked="" type="checkbox"/> A check is enclosed to cover the Provisional filing fees		PROVISIONAL FILING FEE AMOUNTS: \$80	
<input checked="" type="checkbox"/> If no check is enclosed or the enclosed check is insufficient - The Commissioner is hereby authorized to charge the filing fees or credit any overpayment to Deposit Acct. No. 03-2412.			

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government

☒ No

☐ Yes, the name of the U.S. Government agency and the Government contract number are: _

☒ Small Entity Status is claimed

Respectfully submitted,

Dated: October 8, 2003

COHEN, PONTANI, LIEBERMAN & PAVANE
551 Fifth Avenue, Suite 1210
New York, New York 10176
(212) 687-2770

By: _____

Edward M. Weisz
Reg. No. 37,257

PROVISIONAL APPLICATION FILING ONLY

Express Mail #EV 074353623 US

UNITED STATES

PROVISIONAL PATENT APPLICATION

Foldable Modular Light Array

Inventor:

Marc H. SEGAN

BACKGROUND OF THE INVENTION

This invention relates to light emitting diode (LED) display panels composed of a plurality of light emitting diode elements. This invention is a decorative lighting device, for home use by consumers, to display messages (text) and graphics (pictures) by selectively illuminating lights (LEDs) in a rectangular array. A micro-controller stores images and feeds them in sequence, to the array of lights.

LED based display signs are available in all sizes for commercial purposes. The cost can be relatively high, as these are typically intended for permanent installation.

Small LED based display signs are available for consumer uses. Typically, these units rely on an array of LEDs mounted in one or several PC Boards. The overall size is limited, because the PC Boards are fragile if made too large. Also, PC Boards in large sizes are expensive for consumer applications.

SUMMARY OF THE INVENTION

The invention allows a larger LED based display sign for consumer use. Construction principles allow this unit to be much larger than existing consumer displays, while avoiding the high cost of more permanent commercial units.

One major purpose of the invention is for consumer use in decorating the home for holidays such as Christmas, when lights are commonly hung on the exterior of homes. Use of the invention will allow graphic images and messages to appear and to move as part of the decoration of a home, which otherwise would be decorated in mostly non-figurative and non-object oriented general color-based effects.

BRIEF DESCRIPTION OF THE DRAWINGS

In the drawings:

Drawing 1: Five sub-panels hinged together, showing the folded and unfolded views in perspective.

5 Drawing 2: Five sub-panels hinged together, showing the folded and the unfolded views in side and front views.

(1) Five sub-panels folded for storage.

(2) Five sub-panels unfolded for display.

(3) Five sub-panels unfolded – front view.

10 Drawing 3

(4) Box to hold PCBoards – two parts – top housing and bottom housing.

Drawing 4 Blank

Drawing 5 Wiring diagram showing Column Drivers and Row Drivers

Drawing 6 Exploded view drawing showing Support Base, soldering to LEDs,
15 translucent cover, and back cover.

Drawing 7 LED mounting – front and side views.

Drawing 8 Hinge between sub-panels – front and side views.

Drawing 9 Hinge between panels – exploded view.

Drawing 10 LED mounting

20 Drawing 11 Blank

Drawing 12 Blank

Drawing 13 Blank

Drawing 14 Lit-up panel showing the word "CHRISTMAS".

Drawing 15 Electronic prototype model.

Drawing 16 Model of 4 LED section of panel.

Drawing 17 Schematic 1 of 3

5 Drawing 18 Schematic 2 of 3

Drawing 19 Schematic 3 of 3

Drawing 20 Blank

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

10 The invention allows a larger LED based display sign for consumer use.
Construction principles allow this unit to be much larger than existing consumer displays, while avoiding the high cost of more permanent commercial units.

 One major purpose of the invention is for consumer use in decorating the home for holidays such as Christmas, when lights are commonly hung on the exterior of
15 homes. Use of the invention will allow graphic images and messages to appear and to move as part of the decoration of a home, which otherwise would be decorated in mostly non-figurative and non-object oriented general color-based effects.

 The preferred embodiment of the inventive display is 20" x 62". At this large size, and particularly for outdoor use, one major concern is to make a design
20 pervious, e.g., with lots of through-holes in the panel, so that wind can pass through and not adversely affect the position of the display. Otherwise, the display may cause damage to the home or to bystanders.

Folding

Unlike other large rigid message display signs, this product is made in several (5) smaller panels, with hinges between the panel, such that the several panels

5 can be folded up against each other. There are several advantages to this design:

a) Ease of handling in the retail environment. Stores can more easily fit a 15" x 21" x 8" box onto their shelves, than a 62" x 21" x 2" flat box.

Retail customers, can more easily handle the smaller package, fitting it into shopping carts and automobiles.

10 b) Ease of handling during installation by the consumer: Installing Christmas lights often involves much climbing on ladders and roofs, in order to place lights in a high location for best visibility. This product's folding design allows it to be easily carried up a ladder without being cumbersome to handle. Once the customer is at the proper height, the
15 panels can be unfolded and installed to the house.

c) Ease of setting up the display. Because the individual display panels are hinged to each other and are capable of being folded against each other, the display can be set up by simply unfolding the panels and standing them horizontally along a common edge in a zig-zag pattern.

20 Holes through

Holiday lighting decorations are designed for temporary installation and use by retail customers -- not professional installers or riggers. A solid panel

of the size 62" x 21" would easily catch the wind during installation or use, putting huge stresses on the panel itself, on the mounting hardware, on the house where the mounting hardware is attached, and on the person carrying the panel during installation. This product avoids these problems by being constructed as a very open mesh, with large openings all over its surface so that the panels are pervious to the wind, thereby allowing the wind to simply pass through the panels.

Modularity

The individual panels are detachable from each other. This allows the invention to be expanded or contracted by connecting or detaching panels to the overall display. The wiring is such that the horizontal dimension of the array is readily expandable through the addition of panels.

Lightweight, flexible, portable

Large message display panels are typically designed for permanent installations. This product is lightweight, due to the removal of material achieved by making the holes through it as described above. All heavy components (such as the power supply / transformer are located OFF the panel, in a separate enclosure, to further reduce the weight of the panel. This allows the panel to be a minimal weight for its size, which allows easiest mounting, by the consumer, in a temporary manner. For example, the panel might be lashed to the house with string, instead of bolted in place like a rigid commercial display panel. Also, because of the hole-through design, there

are a great number of fastening regions for lashings, i.e. through any of the holes on the panels.

The removal of the transformer and power supply from the panel, such that there is only a low voltage wire connection between the two, allows the panel to receive only safe low voltage electricity, while the power supply handles the higher power (110v in USA) from the mains. This allows the construction of the panel to be more open and less enclosed than that which is required for a typical display panel running. This adds to the weight reduction possible in the panel.

Vertical or horizontal Orientation

This invention has a simple single switch which the consumer can set to tell the panel if it is mounted in the vertical or the horizontal direction. Different "shows" (the program of lights that are illuminated) are played according to the orientation of the panel. Therefore, this product can be displayed either horizontally or vertically. The advantage of this for the consumer is that in the vertical mode, the typical 5 foot long display (comprised of five separate one-foot panels hingedly connected o each other will easily mount on a typical door (height 6' 8"), or on a chimney. This vertical display orientation may be preferred for those installations where there is no convenient location for horizontal display on the house itself or on the surrounding property.

LEDs without PC Boards

To allow this product to be large, with spacing between the LEDs and an open framework design with holes, PCBoards that are typically used to mount LEDs have been eliminated. Instead, the LEDs on each panel are wired in an 8x12 array,

with each LED connected to two wires, that run in the framework of the panel. These wires form a matrix that is connected to small PCBoards in several boxes (6) located around the sub-panels that make up the whole display panel. The wiring is such that the array is divided into two horizontal regions; a top region containing rows A-F, and a bottom region containing rows A'-F'. A continuous wiring circuit is formed through each row pair (A - A') such that a high current condition (e.g. a data signal is applied to address some or all of the lights in the row pair. Shift registers are used to address the negative terminals in the columns to thereby activate selected lights in the array. The arrangement of the LEDs in this manner effectively produces two 6x16 arrays.

Each LED is also covered by a translucent cover to simulate a larger bulb appearance which improves the aesthetics of the device from a distance when the device is active.

The advantages of the elimination of PCBoards include:

a) Cost reduction , as large PCBoards can be expensive.

b) Durability: Large PCBoards are not flexible, and can crack if flexed.


Inclusion of large PCBoards in a display panel require a rigid structure.

Eliminating them allows us to design a flexible structure.

The wiring of the individual LEDs of each panel is shown in the figures.


Drawing1

TIME SQUARE
HOLIDAY LIGHT DISPLAY




(C) 2003 M H SEGAN 5/7/03 *fly*

Drawing 2




Drawing 3: Plastic housing parts.



Drawing 4 Blank

Drawing 5


BEST AVAILABLE COPY




Drawing 6



Drawing 7




Drawing 8




Drawing 9

BEST AVAILABLE COPY




Drawing 10 Blank
Drawing 11 Blank
Drawing 12 Blank
Drawing 13 Blank

Drawing 14




BEST AVAILABLE COPY

Drawing 15




Drawing 16




BEST AVAILABLE COPY


Drawing 17



Drawing 18



Drawing 19



Drawing 20 Blank

END.

THIS PAGE IS INSERTED BY OIPE SCANNING

IMAGES WITHIN THIS DOCUMENT ARE BEST AVAILABLE COPY AND CONTAIN DEFECTIVE IMAGES SCANNED FROM ORIGINALS SUBMITTED BY THE APPLICANT.

DEFECTIVE IMAGES COULD INCLUDE BUT ARE NOT LIMITED TO:

BLACK BORDERS

TEXT CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT

ILLEGIBLE TEXT

SKEWED/SLANTED IMAGES

COLORED PHOTOS

BLACK OR VERY BLACK AND WHITE DARK PHOTOS

GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.
RESCANNING DOCUMENTS *WILL NOT*
CORRECT IMAGES.**

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US04/033374

International filing date: 08 October 2004 (08.10.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/509,496
Filing date: 08 October 2003 (08.10.2003)

Date of receipt at the International Bureau: 08 November 2004 (08.11.2004)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.